

Report No.: E05243000816D~1

MSDS Report

Samples

Run Capacitor


Client Unit

Zhejiang Huizhong Industrial Trading Co., Ltd.

Client Address

Haifeng Road #1399, Binhai Industrial Zone, Jiaojiang Area, 318000, Taizhou, Zhejiang, China





t code, namely, each code corresponds with only one "Test Report" copying paper whose surface shows "PONY" security print with specific anti-counterfesting seclarique. Security print will disappear after copying.

esting upper with watermarks which shall show colorless fluorescent "PONY" mark under ultraviolet radiation, e.g. a UV counterfeit money detector.

CHotline 400-819-5688 www.ponytest.com

Road, Haidian District, Belging

XulmiDistrict, 3banghai

Material Safety Data Sheet

Section 1 - Chemical Product and Company Identification

Product Name: Run Capacitor Sample Code: CBB65A, CBB65A-1

Manufacturer: Zhejiang Huizhong Industrial Trading Co.,Ltd.

Address: Haifeng Road #1399, Binhai Industrial Zone, Jiaojiang Area, 318000, Taizhou,

Zhejiang, China

Post Code: 318000 Tel: 0576-81872999

Emergency Telephone: 0576-81872999

Fax: 0576-81878188

E-Mail: dali@hui-zhong.net

Section 2 - Composition/Information on Ingredient

Chemical Name	CAS No.	In % by Weight
Al Case	7429-90-5	10
MPP	9003-07-0	40
Fe	7439-89-6	4
Vegetable Oil	8002-13-9	24
Microcystal Wax	8001-75-0	6
Zn	7440-66-6	7
Sn	7440-31-5	2
PP	9003-07-0	6
Cu	7440-50-8	1

Section 3 - Hazards Identification

May cause irritation to eyes. Contact with molten material may cause thermal burns.

PONY assures objectivity and justiness of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. Unless otherwise stated the results shown in the report refer only to the sample; should not have any economic and legal responsibility because the use of tusting result, or direct and inforced losses, and all legal consequences because of the result. This report is invulid without signatures of appropriat and special scal for inspection of PONY, or it has been reproduced in full or part. This Report is issued by PONY subject to us General Conditions of Service. Any unaudiorized alteration, forgery or falsification of the centern is subas full, offenders may be presented to the full extent of the law;

Warning for Anti-Counterten

1. "PONY Test Report" has exclusive report code, namely, each code corresponds with only one "Test Report",

2. "PONY Test Report" has exclusive report code, namely, each code corresponds with only one "Test Report",

2. "PONY Test Report" is printed by anti-cropping paper whose surface shows "PONY" society great with specific anti-counterfeiting technique. Society print will disappear after copying.

Displicates are not expected to give "PONY" society print under any circumstances.

3. "PONY Test Report" uses anti-counterfeiting paper with watermarks which shall show colorless (Jucrescent "PONY" mark under altraviolat radiation, e.g. a IIV anumerfeit money detector.

May cause skin irritation individual. Contact with molten material may cause thermal burns.

Inhalation

Pony Testing International Group

May cause respiratory tract irritation. Melt processing fumes or vapors may cause respiratory irritation.

Ingestion

May be harmful if swallowed.

Section 4 - First Aid Measures

Eye

Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical aid.

Skin

Remove contaminated clothing/shoes. Flush skin with plenty of water. Get medical attention. Do not reuse clothing until cleaned.

Inhalation

Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not breathing. Get medical attention immediately.

Ingestion

Do not induce vomiting. Get medical attention.

Section 5 - Fire Fighting Measures

Flash Point: >100°C(Closed cup) (Vegetable Oil).

Flammability: Non-flammable(Vegetable Oil).

Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Firefighting

Wear self contained breathing apparatus and protective clothing.

Decomposition Products

Carbon oxides, acrolein, formaldehyde-like, metal oxides, other irritation or toxic fume or mist.

Section 6 - Accidental Release Measures

PONY assures objectivity and justness of the test, and fulfill the daty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted simple and information. Unless otherwise stated the results shown in the report refer only to the sampler's tested. FONY shall not have any exercisive and legal responsibility because the use of testing result, or direct and indirect losses, and all legal consequences because of the result. This report is invalid willout signatures of approximant and special scale for inspection of PONY, or it has been reproduced in full or part. This Report is issued by PONY subject to its General Conditions of Service. Any maintainized alteration, forgery or labsification of the content is unlawful, afterders may be prospected to the fullest extent of the law.

Marning for Anti-Counterfert

I. "PONY Test Report" has exclusive report code, namely, each code corresponds with only one "Test Report".

2. "PONY Test Report" is printed by anti-capping paper whose sarface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying.

Duplicates are not expected to give "PONY" security print under any corrumatances.

3. "PONY Test Report" uses noti-connected in a paper with watermarks which shall show colorless there scent "PONY" mark under abraviolet radiation, e.g. a UV countertest money detector www.ponytest.com @Hotline 400-819-5688

At long industrial condition, reference as follow:

Steps to be taken in case material is spilled or released

Ventilate and evacuate area. Wear appropriate personal protective equipment as specified in Section 8. Sweep up using a method that does not generate dust. Collect as much of the spilled material as possible, placed the spilled material into a suitable disposal container. Keep spilled material out of sewers, ditches and bodies of water.

Waste Disposal Method

Pony Testing International Group

Use Waste Disposal Methods in accordance with all Federal, State and Local rules and regulations.

Section 7 - Handling and Storage

Handling

Keep away from heat, sparks and open flame, other ignition sources. Protect from direct sunlight. Avoid eye contact. Avoid prolonged or repeated contact with skin. Wash skin with soap and water after contact. Do not cut, welding, heating, air drilling or pressurized containers.

Storage

Store in a cool, dry and well-ventilated place. Consumption of food and beverage should be avoided in work areas. Wash hands with soap and water before eating, drinking. Keep away from incompatible substances, such as strong oxidizing agents, chlorine, permanganates, e.g. potassium permanganate.

Section 8 - Exposure Controls, Personal Protection

No need under normal use. At long industrial condition, reference as follow:

Engineering Controls

Keep workroom concentration below current applicable OSHA safety and health requirements. If necessary, configure the explosion-proof, anti-static devices.

Respiratory Protection

Appropriate vapor canister, self-contained breathing apparatus or supplied-air hose mask below current applicable OSHA safety and health requirements.

Personal Protection

Safety glasses, protective gloves, and lab coat, eye washer and safety shower if needed.

Exposure Limits

Al Case

PONY assures objectivity and justness of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should endertake responsibility for the authenticity of submitted sample and anformation. Unless otherwise stated the results shown in the report nelse only to the sample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, or direct and indirect losses, and all legal consequences because of the result. This report is invalid without signatures of appropriate and feet inspection of PUNY, or it has been reproduced in full or part. This Report is issued by PONY subject to its General Candidates of Service. Any manufactized alteration, forsery or falsafred time of the cantert is unlawful, offerders may be prosecuted to the full est extent of the law.

@Hotline 400-819-5688 www.ponytest.com

Warning for Anti-Counterfeit
1. "PONY Test Report" has exclusive report code, namely, each code corresponds with only one "Test Report".
1. "PONY Test Report" has exclusive report code, namely, each code corresponds with enly one "Test Report".
1. "PONY Test Report" has exclusive report code, namely, each code corresponds with enler of the proof of the p

Date: 05.30.2011 Page 4

OSHA PEL 15 mg/m³ total dust (TWA), 5 mg/m³ respirable fraction (TWA).

ACGIH TLV 1 mg/m3 respirable fraction.

Fe

OSHA TWA 10.0 mg/m3 as oxide dust and fume.

ACGIH TLV 5.0 mg/m3 as oxide fume.

Vegetable Oil

10.0 mg/m3 TWA. **OSHA PEL**

Sn

OSHA TWA 2 mg/m3 TWA as Sn.

ACGIH TLV 2 mg/m3 TWA, 2 mg/m3 TWA except tin hydride, as Sn.

Cu

OSHA TWA 0.1 mg/m3 as fume; 1.0 mg/m3 as dust. ACGIH TLV 0.2 mg/m3 as fume; 1.0 mg/m3 as dust.

Section 9 - Physical and Chemical Properties

PH: 7.0 (Vegetable Oil; 27°C, 59%RH).

Flash Point: >100°C(Closed cup) (Vegetable Oil).

Flammability: Non-flammable(Vegetable Oil).

Solubility in water: Difficult soluble in water(Vegetable Oil).

Appearance and odor: Sliver, cylindrical with odorless solid (Vegetable Oil: Golden

yellow with slightly irritation odor liquid).

Chemical Uses: Air conditioning run capacitor.

Section 10 - Stability and Reactivity

Stability

Stable under normal condition.

Conditions to Avoid

Heating, sparks, open flame, mechanical abuse and electrical abuse.

Incompatibilities

Strong oxidizing agents, chlorine, permanganates, e.g. potassium permanganate.

PONY assures objectivity and pastness of the test, and fulfill the daty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. Unless otherwise stated the results shown in the report refer only to the sample(s) tested PONY shall not have any economic and legal responsibility because the associates inclined indirect losses, and all legal consequences because of the result. This report is invalid without signatures of apparature and special seal for inspection of PONY, or it has been reproduced in full or part. This Report is issued by PONY subject to its General Conditions of Service Any insuches and afternion, forgerly or lifestication of the center is unlawful, offenders may be prosecuted to the fullest extent of the law.

3. "PONY Test Report" uses anti-counterfeiting paper with scaterinaries which shall show colorless Husterment "PONY" mark under ultrasculer radiation, e.g. a EV enumerical money detector.

[&]quot;PONY Test Report is printed by rati-copying paper whose surface shows. PSNY security print with specific anti-counterfeiting technique. Security print will disappear after copying.

Duplicates are not expected to give "PONY" security print under any circumstances.



Hazardous Combustible Products

Carbon oxides, acrolein, formaldehyde-like, metal oxides, other irritation or toxic fume or mist.

Section 11 - Toxicological Information

Acute toxicity

Fe

Oral LD50 for rat: 30 g/kg.

Cu

Oral LD50 for mouse: 3.5 mg/kg (intraperitoneal).

Section 12 - Ecological Information

Ecotoxicology

Zn

Toxicity to Cyprinus carpio (Carp) LC50: 450µg/L/96 h.

Toxicity to Daphnia magna (Water flea) LC50: 0.068 mg/L/ 48 h.

Environmental Effect

Report spills as required to appropriate authorities. U.S. Coast Guard regulations require immediate reporting of spills that could reach any waterway including intermittent dry creeks.

Section 13 - Disposal Considerations

Disposal Treatment

All disposals must comply with federal, state, and local regulations. The material, if spilled or discarded, may be a regulated waste. Refer to state and local regulations. If regulated solvents are used to clean up spilled material, the resulting waste mixture may be regulated.

Section 14 - Transport Information

The Run Capacitor is exempt from dangerous goods. It is considered non-dangerous goods by the special provision 188 of IMDG, or the Technical Instructions for the Safe

PONY assures objectivity and justices of the test, and fidfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authorizing of submitted sample and information. Unloss otherwise stated the results shown in the reports ster only to the stample and indirect losses, and all legal consequences because of the results shown in the reports ster only to the stample of provided losses, and all legal consequences because of the result. This report is invated without signatures of approver and apacial seal for inspection of PONY, or it has been reportated in fall or part. This Report is insued by PONY subject to as General Conditionarce Service. Any unaudion well alter anous frequency or falsification of the execution is instantial, offenders may be prosecuted to the fullest extent of the law.

PONY Test Report" has exclusive report code, namely, each code corresponds with only one "Jest Report"

3. PONY Test Report uses anti-counterfeiting paper with watermarks which shall show colorless fluorescent "PONY" mark under altraviolet radiation, v.g. a UV enumerfeit money detector. @Hotline 400-819-5688 www.ponylest.com

^{2.} PONY Test Report" is printed by date-copyoing paper whose surface shows "PONY" security print with specific anti-counterfeiting rechnique. Security print will disappear after copying.

Duplicates are not expected to give "PONY" security print under any circumstances.



Transport of Dangerous Goods (TI).

Transport Fashion: By sea, by railway.

Section 15 - Regulatory Information

Law Information

《Dangerous Goods Regulation》

《Recommendations on the Transport of Dangerous Goods Model Regulations》

《International Maritime Dangerous Goods》

《Technical Instructions for the Safe Transport of Dangerous Goods》

《Classification and code of dangerous goods》

(Occupational Safety and Health Act) (OSHA)

《Toxic Substances Control Act》(TSCA)

《Consumer Product Safety Act》(CPSA)

《Federal Environmental Pollution Control Act》(FEPCA)

《The Oil Pollution Act》(OPA)

(Superfund Amendments and Reauthorization Act Title III (302/311/312/313)) (SARA

(Resource Conservation and Recovery Act) (RCRA)

《Safety Drinking Water Act》(CWA)

《California Proposition 65》

《Code of Federal Regulations》(CFR)

In accordance with all Federal, State and Local laws.

Section 16 - Additional Information

The above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since this information maybe applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

Edited by: liuxlaalom

Checked by: War Chimin Approved by:

MSDS Creation Date: May 30, 2011

PONY assumes objectivity and justifiers of the test, and fulfill the duty of confidentially for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. Unless otherwise stated the results shown is the report arter only of the sample of the result. This report is invalid without signatures of approximated seal for inspection of PONY or it has been reproduced in full or part. This Report is issued by PONY subject to its General Coulds us of Service. Any maintainized alteration, largery or labstication of the content is intained, after dees may be prosecuted to the full est extent of the law.

Warrang for A2th Constituted
L. "PONY Test Report" has essenate report cade, namely such code corresponds with only one "Test Report".

2. "PONY Test Report" respected to give "PONY" security print under any extract shows "PONY" evenity print with appearance report cade, namely security print under any extractions.

Duplicates are not expected to give "PONY" security print under any extractions.

3. "PONY Test Report" uses and commerciating paper with watermarks which shall those colorless theoretical PONY" mark under advisable indication in grant and the purpose of the policy of the CHotline 400-819-5688 www.ponytest.com